

Everett 1300 44th Street SE Everett, WA 98203 Phone 425-339-2559 Fax 425-339-1583

Bellingham 3106 Northwest Ave Bellingham, WA 98225 Phone 360-734-0298 Fax 360-734-9679

Mt. Vernon 1520 Roosevelt Ave Mt. Vernon, WA 98273 Phone 360-416-6505 Fax 360-416-8241

Edmonds 7631 212th Street SW, STE 102A Edmonds, WA 98026 Phone 425-776-1247 Fax 425-776-8045

Sequim 566 N Fifth Ave Sequim, WA 98382 Phone 360-797-1001 Fax -360-797-1003

Spokane 101 E Hastings Rd, STE J Spokane, WA 99218 Phone 509-620-9362 Fax 509-505-0912

INSTRUCTIONS FOR DYNAMIC ANKLE FOOT ORTHOSIS

You have been fit with a Dynamic Ankle Foot Orthosis as prescribed by your doctor. It is extremely important that you follow the specific instructions given to you by the medical professional that is working with you, as well as following the guidelines below. The purpose of this device is to provide ankle stability. Following are some commonly asked questions regarding this device:

DO I HAVE TO WEAR A SOCK WITH MY DEVICE?

Yes, some type of interface must be worn between your skin and the orthosis. A cotton type sock or knee undersleeve is preferred. Nylon may suffice, but provides less padding and absorption of perspiration. Keeping the skin clean and dry is important for comfort and hygiene.

WHAT TYPE OF SHOE WILL I NEED?

Do not use your device without a shoe! Due to the slickness of the carbon, wearing the orthosis without a shoe is dangerous. An athletic or oxford type shoe works best. The shoe must have a tongue, with a lace or Velcro closure across your instep to hold your foot within the device. Your orthosis was designed for a specific heel rise determined during the appointment and must be worn with a shoe. Changing the heel height of the shoe can affect the function and stability provided. Be cautious about using the device in different shoes. You may need to obtain a wider shoe, have your existing shoe stretched, or have the insole removed to allow adequate room for the device. Most orthotic devices are not for sleeping purposes, please do not sleep with the device on, unless specifically instructed to do so.

HOW DO I KNOW IF IT FITS CORRECTLY?

INSPECT YOUR SKIN! A properly fitting orthotic device should not cause sharp or stabbing pain, nor should it create bruises, calluses or blisters. You should initially begin use of the orthosis on a gradual basis. By checking your skin frequently at first, pay closer attention to the areas along the edges of the carbon, along your arch and ankles. Redness that does not fade within 10-15 minutes after removing the device can be a sign of excessive pressure, especially if over bony anatomy. If redness, pain or swelling develops, please discontinue use immediately and contact Cornerstone. Failure to do so could lead to open sores, infection, or other complications.

CLEANING AND MAINTENANCE:

Most orthotic devices can be cleaned with mild soap and warm water using a cloth. Rubbing alcohol may be used for disinfection. The device should be towel dried and allowed to thoroughly air dry. Keep the brace away from excessive heat to prevent damage to the device. If the screws begin to come loose or the Revo string begins to fray and needs to be replaced, please contact your orthotist. Do not attempt to modify your own device. Doing this will void the warranty. Inspect your device daily for any signs of damage or wear, such as cracking or loose parts. A yearly recheck is advised.

WHEN SHOULD I CALL CORNERSTONE?

- 1. If you see areas that are causing skin irritation, rubbing, blisters or bruising.
- 2. If you undergo significant weight or volume change that causes your device to fit too tight or too loose.
- 3. If you experience pain, numbness, or tingling from the device.
- 4. If you experience returning ankle pain after long term use of the device.
- 5. If you have any questions, call the correct office listed above.

If you have any problems with the use of your device; discontinue using it immediately and contact Cornerstone.

PLEASE CONTACT YOUR PHYSICIAN SHOULD YOU HAVE A CHANGE IN YOUR GENERAL HEALTH. We recommend that you do not drive with this device unless approved by your physician or the DOL/DMV.

Signature _____ Date ____

Updated 07/12/18